Index to Volume 17, 1980

α_1 Acid glycoprotein assay, replacement for serum seromucoid assay, **140**

AHMED J and SMETHURST P: Radioimmunoassay of thyroxine-binding globulin: evaluation of a kit and diagnostic application **241**

ALBUTT EC *see* THAW PA and ALBUTT EC

Aldolase
- C, immunoreactive, in CSF of neurological disorders **110**
- C_4 isoenzyme, brain, purification, radioimmunoassay and distribution in human tissues, **114**

Alkaline phosphatase isoenzyme
- measurement, serum, reaction rate retardation **192**
- and γ-glutamyl transferase isoenzymes after polyacrylamide gel electrophoresis **15**
- isoenzymes, clinical usefulness of simultaneous localisation **20**

Alfa-fetoprotein
- amniotic fluid, rapid determination, using automated immunoturbidometric technique **130**

Ascorbic acid content, leucocyte, apparent, effect of platelets on **252**
- serum, external quality assessment, **332**

Antibody(ies)
- coupling to magnetisable particles use in direct fluoroimmunoassay for conjugated chenodeoxycholic acid **188**
- against factor VIII, quantification by an immunonephelometric method in a continuous-flow system **256**

Antithrombin, automated enzyme assay **183**

ARCHER CT and RICHARDSON RA: An improved colorimetric method for the determination of plasma paracetamol **45**

Association of Clinical Biochemists and Nederlande Vereniging voor Klinische Chemie jointly publishing *Annals of Clinical Biochemistry:* editorial **109**

ATTWOOD EC *see* WHITE WA and ATTWOOD EC

AYOUB L *see* FYFFE JA *et al*

BAINES M: Clinical usefulness of the simultaneous localisation of the isoenzymes of alkaline phosphate and γ-glutamyl transferase **20**

BARNARD DJ, BINGLE JP and GARRATT CJ: A procedure for the redefinition of equivocal results in thyroid function tests **247**

BARON DN: What shall we do with bad clinical biochemists? **67** *P*

BATESON MC *see* ZAREMBSKI PM *et al*

BAUMGART R, FRANCE MW, UaCONAILL D, MURNAGHAN S, PEREIRA M and DRURY MI: An assessment of a microcolumn chromatographic method for the measurement of haemoglobin A_1 **101**

Beckman Analyzer, economical reagent for use with in estimating plasma urea: technical note **214**

BEETHAM R and SANDERS PG: Calibrant solutions for continuous-flow urate analysis: interference by formaldehyde **323**

Bile acids, total serum, commercial, enzymatic method for determination, evaluation **301**

Bilirubin, serum, improved continuous-flow analysis **262**

BILLING BH *see* SHRIDI FA *et al*

BINGLE JP *see* BARNARD DJ *et al*

Biochemical tests
- in diagnosis of calcium metabolism disorders: technical bulletin No. 41 **161**
- in hospitals, evaluation **281**

Blood gas analysis, quality control problems **62** *P*

BLOW C *see* WHICHER JT and BLOW C

BODDEN J *see* DAVILA N *et al*

BOOK REVIEWS
- BROWN SS *editor* Chemical diagnosis of disease 1979 **216**
- FEDERMAN DD *editor* Clinics in endocrinology and metabolism 1979 **277**
- FLEISCHER M *editor* The Clinical biochemistry of cancer 1979 **216**
- KEYSER JW Human plasma proteins **277**
- KRIEGER DT *editor* Endocrine rhythms (Comprehensive endocrinology series) 1979 **60**
- WRIGHT R, ALBERTI KGMM, KARRAN G and MILLWARD-SADLER GH: Liver and biliary disease: a pathophysiological approach 1979 **277**
- YAGI K *editor* Biochemical aspects of nutrition 1979 **216**

Brain aldolase C4 isoenzyme, purification, radioimmunoassay and distribution in human tissues **114**

BROOKS TJ and SAMMONS HG: Quantitative recovery of alkaline phosphatase and γ-glutamyl transferase isoenzymes after polyacrylamide gel electrophoresis **15**

BROWN PB and LEWIS KO: Reaction rate retardation as a method for serum alkaline phosphatase isoenzyme measurement **192**

BROUGHTON PMG *see* PERCY-ROBB IW *et al*

BULLOCK DG, CARTER TJN, COSGROVE CM and HUGHES SV: An assessment of the Corning electrophoretic procedure for high density lipoprotein cholesterol estimation **148**

Calcium metabolism
- in fatal case of sodium fluoride poisoning **10**
- disorders, diagnosis, use of biochemical tests: technical bulletin No. 41 **161**

Calibrant solutions for continuous-flow urate analysis: interference by formaldehyde **323**

CALVERT GD, YEATES RA and MANNIK T: A comparison of the phosphotungstate magnesium precipitation and heparin-manganese precipitation procedures for estimating high-density lipoprotein cholesterol **105**

CAMPBELL A *see* EVANS RM *et al*
CARTER TJN *see* BULLOCK DG *et al*
CASHMORE GC *see* FEW JD and CASHMORE GC
CEDERHOLM-WILLIAMS SA: Automated enzyme assay of antithrombin **183**
Cerebrospinal fluid immunoreactive C in, in neurological disorders, **110**
CHAMBERS RE, WILLETTS SR and WALTERS G: A comparison of urine free cortisol (RIA) with cortisol metabolites (GLC) for detecting increased cortisol secretion **233**
CHANDLER E *see* MORGAN LM *et al*
Chenodeoxycholic acid, conjugated, direct fluoro-immunoassay for using antibody coupling to magnetisable particles **188**
CHITRANUKROH A *see* SHRIDI FA *et al*
Cholesterol lipoprotein, *see* Lipoprotein cholesterol
Chromatography
  capillary gas, in neutral urinary steroids, evaluation and comparison with alternate methodology **319**
  gas-liquid, in rapid method for determination of perhexiline in serum **155**
  high-pressure ion-exchange, in determination of 5-fluorouracil in human plasma **272**
  microcolumn, assessment for measurement of haemoglobin A_1 **101**
Chromium, plasma, flameless atomic absorption spectroscopy **144**
CLARK PMS, KRICKA LJ and WHITEHEAD TP: Evaluation of the Kodak Ektachen glucose and urea methods **293**
CLAYTON BE *see* EDWARDS RWH *et al*
Clinical
  biochemists, inadequate, responsibility for decisions, **67**
  chemistry laboratories, planning and organisation of the Nuffield survey into factors affecting analytical performances in **65** *P*
  quality control, meeting, London, October 1978, report **61**
Cobas Bio centrifugal analyser, enzyme immunoassay of thyroxine using short report **159**
COCKS DA *see* DYER TF and COCKS DA
COHEN HN *see* FYFFE JA *et al*
Computer facilities, introduction to clinical chemistry laboratory **47**
Continuous-flow analysis, improved for serum bilirubin **262**
COOPER JDH and TURNELL DC: A rapid method for the determination of perhexiline in serum using gas-liquid chromatography **155**
Corning electrophoretic procedure for high density lipoprotein cholesterol estimation, assessment **148**
Cortisol
  plasma, simple direct solid-phase enzyme immunoassay **53**
  urine free (RIA) compared with cortisol metabolites (GLC) for detecting increased cortisol secretion **233**
Cortisone, plasma, determination, physiological variation and significance, man **227**
COSGROVE CM *see* BULLOCK DG *et al*
Creatinine serum, improved continuous-flow method using Jaffé reaction **153**
CUNNINGTON A *see* STILWELL JA *et al*
CURRIE L *see* EVANS RM *et al*
Cusum chart and truncated V-mask procedure, internal analytical quality control using **205**

Dac-Cel radioimmunoassay, enzyme immunoassay and Immophase compared in digoxin analysis **315**
DAVILA N, RUDD B T, MORRIS R, KANDEEL F, BODDEN J and LONDON DR: A simple procedure for the radioimmunoassay of 17 x-hydroxyprogesterone on serum: comparison with an immunological purification technique **31**
Diabetics and non-diabetics, serum high density lipoprotein cholesterol, comparison of three methods **199**
Digoxin analysis by EMIT, Immophase and Dac-Cel radioimmunoassay, comparison **315**
Dihydrochlorothiazide, 100 mg, response to, and 24-hour urine composition of Sri Lankan adults **212**
Dilutions, multiple, in radioimmunoassay, dose interpolation routine **91**
Dose interpolation routine for multiple dilutions in radioimmunoassay **91**
DRURY MI *see* BAUMGART R *et al*
DURRINGTON PN: A comparison of three methods of measuring serum high density lipoprotein in diabetics and non-diabetics **199**
DYER TF and COCKS DA: An economical reagent for use with the Beckman Analyzer in estimating plasma urea **214**

Editorial: Joint publication, Association of Clinical Biochemists and Nederlande Vereniging voor Klinische Chemie **109**
EDWARDS RWH: Internal analytical quality control using the cusum chart and truncated V-mask procedure **205**
HULSE JA, JACKSON D, SPRACKLAN A and CLAYTON BE: Programming and running radioimmunoassay in h-TSH screening procedure using dried blood spots and the NE1600 gamma counter on line to the HP9815S calculator **122**
EKEKE G *see* SHRIDI FA *et al*
ELLISON ML *see* LAURENCE DJR *et al*
ELORZA FL *see* MALAGON F *et al*
ELYAS AA, GOLDBERG VD, RATNARAJ N and LASCELLES PT: Valproic acid estimation by enzyme immunoassay **307**
Enzyme
  assay, automated, of antithrombin **183**
  commercial, for determination of total serum bile acids, evaluation **301**
  quality control **74**
  immunoassay, Immophase and Dac-Cel radioimmunoassay compared in digoxin analysis **315**
  simple direct solid-phase, for cortisol in plasma **53**
  solid phase, plasma follicle stimulating hormone **95**
  of thyroxine with Cobas Bio centrifugal analyser: short report **159**
  for valproic acid estimation **307**
EVANS RM, CURRIE L and CAMPBELL A: Effect of platelets on apparent leucocyte ascorbic acid content **252**
see SIMPSON E *et al*
EVANS SE: Rapid determination of alpha-fetoprotein in amniotic fluid using an automated immunoturbidimetric technique **130**

Factor VIII, antibodies against, quantification by an immunonephelometric method in a continuous-flow system **256**
FAHMY D RIAD- *see* RIAD-FAHMY D
FAIRNEY A: The use of biochemical tests in the diagnosis of disorders of calcium metabolism. Technical bulletin No. 41 **161**
FEW JD and CASHMORE GC: Plasma cortisone in man: its determination, physiological variation, and significance **227**
FEX G *see* TRELL E *et al*
Flameless atomic absorption spectroscopy of plasma chromium **144**
Fluoride, sodium poisoning, calcium metabolism in fatal case **10**
5-Fuorouracil, determination in human plasma by high-pressure ion-exchange chromatography **272**
Fluoroimmunoassay, direct, for conjugated chenodeoxycholic acid using antibody coupling to magnetisable particle **188**
Follicle-stimulating hormone
plasma, rapid solid-phase radioimmunoassay **38**
solid phase enzyme immunoassay **95**
Formaldehyde interference and calibrant solutions for continuous-flow urate analysis **323**
FRANCE MW *see* BAUMGART R *et al*
FRITH RD *see* PHILLIPOU G *et al*
FYFFE JA, AYOUB L, COHEN HN, TURNER JG THOMSON JA and RATCLIFFE JG: Clinical and laboratory evaluation of four methods of assessing free thyroxine status in thyroid clinic patients **334**

Gamma
counter, NE 1600 linked to HP9815S calculator, h-TSH screening procedure using dried blood spots and, 122
-counting in radioimmunoassay, practical guide: technical bulletin No 40 **1**
Gamma-glutamyl transferase and somatic health score in middle-aged men **134**
GARRATT CJ *see* BARNARD DJ *et al*
Gas, blood analysis, quality control problems **62** *P*
GASKELL SJ *see* HINDAWI RK *et al*
Glucose and urea methods, Kodak Ektachem, evaluation **293**
γ-Glutamyl transferase isoenzymes
and alkaline phosphatase, quantitative recovery after polyacrylamide gel electrophoresis **15**
clinical usefulness of simultaneous localisation **20**
GOLDBERG VD *see* ELYAS AA *et al*
GOODBURN R and WILLIAMS DL: A single reagent radioimmunoassay method for serum thyroxine: technical note **339**
GRAHAM JG *see* WILLSON VJC *et al*
GRIFFITHS PD *see* ZAREMBSKI PM *et al*

Haemoglobin A_1, measurement, assessment of microcolumn chromatographic method **101**
HAINSWORTH IR *see* RUMLEY AG *et al*
HALES CN *see* SOPWITH AM and HALES CN
Health screening tests and gamma-glutamyl transferase in middle-aged men **134**
HEALY MJR: Outliers in clinical chemistry quality control **64** *P*
and WHITEHEAD TP: Outlying values in the National Quality Control Scheme **78**
Heparin-manganese precipitation and phosphotungstate magnesium precipitation, comparison for estimating high-density lipoprotein cholesterol **105**
HINDAWI RK, GASKELL SJ, READ GF and RIAD-FAHMY D: A simple direct solid-phase enzyme immunoassay for cortisol in plasma **53**
HOOD B *see* TRELL E *et al*
Hormone assays, quality control, supraregional assay service **64** *P*
HSU LSF and MARKS TC: Determination of 5-fluorouracil in human plasma by high-pressure ion-exchange chromatography **272**
HUGHES SV *see* BULLOCK DG *et al*
HULSE JA *see* EDWARDS RWH *et al*
11-Hydroxycorticosteroid assay, urinary, effects of analytical error on clinical discrimination **237**
17α-Hydroxyprogesterone, serum, radioimmunoassay, simple procedure, comparison with an immunological purification technique **31**
Hypothyroidism, TSH screening procedure using dried blood spots and NE1600 gamma counter on line to HP9815S calculator **122**

Immunonephelometric assay
formulation of optimal conditions **170**
in continuous-flow system for quantification of antibodies against factor VIII **256**
laser, quality of commercially available controls **178**
Immophase, enzyme immunoassay and Dac-Cel radioimmunoassay compared in digoxin analysis **315**
Immunoradiometric assay for proinsulin, micromodification **185**
Immunoturbidimetric technique, automated, in rapid determination of alpha-fetoprotein in amniotic fluid **130**

JACKSON D *see* EDWARDS RWH *et al*
Jaffé reaction, use in improved continuous-flow method for serum creatinine **153**
JAMES SK *see* PHILLIPOU G *et al*
JANSEN AP: Reliability of control sera **69** *P*
JENNINGS RD *see* PERCY-ROBB IW *et al*
JIMENEZ A *see* MALAGON F *et al*

KÄLLBERG M *see* TOBIASSON P and KÄLLBERG M
KANDEEL F *see* DAVILA N *et al*
KEMP HA *see* WOODHEAD JS *et al*
KIND PRN and WILDE CE: Planning and organisation of the Nuffield survey into factors affecting analytical performance in clinical chemistry laboratories **65** *P*
KIRKLAND SC *see* LAURENCE DJR *et al*
Kit evaluation
radioimmunoassay of thyroxine-binding globulin **241**
recommended scheme in clinical chemistry laboratory **217**
Kodak Ektachem glucose and urea methods, evaluation **293**
KRICKA LJ *see* CLARK PMS *et al*
KRISTENSON H *see* TRELL E *et al*

Laboratory tests in hospitals, evaluation **281**
see also Biochemical tests
LAKHANI A *see* SIMPSON E *et al*
LARME P *see* TRELL E *et al*
LASCELLES PT *see* ELYAS AA *et al*
LAURENCE DJR, KIRKLAND SC, and ELLISON ML: A dose interpolation routine for multiple dilutions in radioimmunoassay **91**
Leucocyte ascorbic acid content, apparent, effect of platelets **252**
LEVELL MJ: Effects of analytical error on the clinical descrimination of the urinary 11-hydroxycorticosteroid assay **237**
LEWIS KO *see* BROWN PB and LEWIS KO
Lipoprotein cholesterol high density
assessment of Corning electrophoretic procedure **148**
estimating, comparison of phosphotunstate magnesium precipitation and heparin-manganese prescipitation **105**
serum in diabetics and non-diabetics, comparison of three methods **199**
LOLEKHA PH: Improved continuous-flow analysis for serum bilirubin **262**
LONDON DR *see* DAVILA N *et al*
LOVESEY AC: A rapid solid-phase radioimmunoassay for human plasma follicle-stimulating hormone **38**
Solid phase enzyme immunoassay of human plasma follicle stimulating hormone **95**

MCCONNELL G *see* MORGAN LM *et al*
MCQUEEN INF *see* WILLSON VJC *et al*
MALAGON F, ELORZA FL, MARTIN E, and JIMENEZ A: Quantification of antibodies against factor VIII by an immunonephelometric method in a continuous-flow system **256**
MANNIK T *see* CALVERT GD *et al*
MARRS TC *see* HSU LSF and MARRS TC
MARTIN E *see* MALAGON F *et al*
Microcolumn chromatographic method for measurement of haemoglobin A_1 **101**
MINTY B: Problems of blood gas quality control **62** *P*
MORGAN LM, MCCONNELL G, CHANDLER E and WELSHMAN SG: Introduction of computer facilities to a clinical chemistry laboratory **47**
MORRIS R *see* DAVILA N *et al*
Multiple dilutions in radioimmunoassay, dose interpolation routine **91**
MURNAGHAN S *see* BAUMGART R *et al*

National Quality Control Advisory Panel for Chemical Pathology **67** *P*
National Quality Control Scheme, outlying values **78**
Nederlande Vereniging voor Klinische Chemie and Association of Clinical Biochemists jointly publishing *Annals of Clinical Biochemistry:* editorial **109**
Neurological disorders, immunoreactive aldolase C in CSF **110**
NIX ABJ *see* WOODHEAD JS *et al*
Nuffield survey into factors affecting analytical performance in clinical chemistry laboratories, planning and organisation of **65** *P*

OAKEY RE: Oestrogen determinations in urine from pregnant women: a review of six years' quality assessment in the United Kingdom **311**
Oestrogen determinations in urine from pregnant women, review, six years quality assessment, UK **311**
OTTEWELL D *see* WILDE CE and OTTEWELL D

PALTRIDGE G RUDZKI Z and RYALL RG: Validity of transcobalamin II-based radioassay for the determination of serum vitamin B_{12} concentrations **287**
Paracetamol
plasma determination, improved colorimetric method **45**
and salicylate, regional quality control scheme over two years **82**
PERCY-ROBB IW, BROUGHTON PMG, JENNINGS RD, MCCORMACK JJ, NEILL DW, SAUNDERS RA and WARNER M: A recommended scheme for the evaluation of kits in the clinical chemistry laboratory **217**
PEREIRA M *see* BAUMGART R *et al*
Perhexiline, serum determination using gas-liquid chromatography, rapid method **155**
PETERSSON B *see* TRELL E *et al*
Phenylalanine, plasma, determination, new method **26**
PHILLIPOU G, FRITH RG, and JAMES SK: Capillary gas chromatographic measurement of neutral urinary steroids: evaluation and comparison with alternate methodology **319**
Phosphotungstate magnesium precipitation and heparin-manganese precipitation procedures for estimating high-density lipoprotein cholesterol, comparison **105**
Platelets, effect of apparent leucocyte ascorbic acid content **252**
Polyacrylamide gel electrophoresis, quantitative recovery of alkaline phosphatase and γ-glutamyl transferase isoenzymes after **15**
POURFARZANEH M *see* SHRIDI FA *et al*
Proinsulin, micromodification of an immunoradiometric assay **185**

Quality control in clinical chemistry laboratories
meeting, London, October 1978, report **61**
outliers **64** *P*
of enzyme determinations **74**
of hormone assays, supraregional assay service **64** *P*
national, advisory panel for chemical pathology **67** *P*
National Scheme, outlying values, **78**
scheme, regional, for salicylate and paracetamol over a period of two years **82**
sera, reliability, **69** *P*
spectrophotometer, report of a national survey **66** *P*
ward-based scheme **61** *P*

RAO LGS *see* SIMPSON E *et al*
RATCLIFFE JG *see* FYFFE JA *et al*
RATNARAJ N *see* ELYAS AA *et al*
Reaction rate retardation as method for serum alkaline phosphatase isoenzyme measurement **192**
READ GF *see* HINDAWI RK *et al*
Reagent, economical for use with Beckman Analyzer in estimating plasma urea: technical note **214**

RIAD-FAHMY D *see* HINDAWI RK *et al*
RICHARDSON RA *see* ARCHER CT and RICHARDSON RA
RINSLER M: The National Quality Control Advisory Panel for Chemical Pathology **67** *P*
ROBB IW PERCY- *see* PERCY-ROBB IW
RODGER JC *see* SIMPSON E *et al*
ROSALKI SB: Quality control of enzyme determinations **74**
ROWE DJF *see* RUMLEY AG *et al*
ROWLANDS RJ *see* WOODHEAD JS *et al*
RUDD BT *see* DAVILA N *et al*
RUDZKI Z *see* PALTRIDGE G *et al*
RUMLEY AG, TROPE A, ROWE DJF, and HAINSWORTH IR: Comparison of digoxin analysis by EMIT with Immophase and Dac-Cel radioimmunoassay **315**
RYALL RG *see* PALTRIDGE G *et al*

Salicylate and paracetamol, regional quality control scheme over two years **82**
SAMMONS HG *see* BROOKS TJ and SAMMONS HG
SANDERS PG *see* BEETHAM R and SANDERS PG
Sera, control, reliability **69** *P*
Seromucoid assay, serum, critical evaluation, replacement by serum α_1 acid glycoprotein assay **140**
SHRIDI FA, CHITRANUKROH A POURFARZANEH M BILLING BH and EKEKE G: A direct fluoroimmunoassay for conjugated chenodeoxycholic acid using antibody coupling to magnetisable particles **188**
SHULMAN G: Quality of commercially available controls in laser immunonephelometry **178**
SIMPSON D: Units for reporting the results of toxicological measurements **328**
SIMPSON E, RAO LGS, EVANS RM, WILKIE W, RODGER JC and LAKHANI A: Calcium metabolism in a fatal case of sodium fluoride poisoning **10**
SMETHURST P, *see* AHMED J and SMETHURST P
Sodium fluoride poisoning, calcium metabolism in fatal case **10**
SOPWITH AM and HALES CN: Micromodification of an immunoradiometric assay for proinsulin **185**
Spectrophotometers
  accuracy and linearity in clinical chemistry laboratories **87**
  quality control, report of national survey **66** *P*
SPRACKLAN A *see* EDWARDS RWH *et al*
Steroids, urinary neutral, capillary gas chromatographic measurement, evaluation and comparison with alternate methodology **319**
STEVENS JF: Accuracy and linearity of spectrophotometers in clinical chemistry laboratories **87**
  Quality control in clinical chemistry laboratories. Report of a meeting held at the Middlesex Hospital London on 19 October 1978 **61**
  Spectrophotometer quality control: A report of a national survey **66** *P*
STILWELL JA, YOUNG D and CUNNINGTON A: Evaluation of laboratory tests in hospitals **281**

TECHNICAL BULLETIN: A practical guide to gamma-counting in radioimmunoassay **1**
TECHNICAL BULLETIN No 41: The use of biochemical tests in diagnosis of disorders of calcium metabolism **161**
TECHNICAL NOTE: An economical reagent for use with the Beckman Analyzer in estimating plasma urea **214**
  A single reagent radioimmunoassay method for serum thyroxine **339**
Tests, *see* Laboratory, Biochemical and specific names
THAW PA and ALBUTT EC: A critical evaluation of a serum seromucoid assay and its replacement by a serum α 1 acid glycoprotein assay **140**
THOMPSON DA: Flameless atomic absorption spectroscopy of plasma chromium **144**
THOMPSON RJ *see* WILLSON VJC and THOMPSON RJ WILLSON VJC *et al*
THOMSON JA *see* FYFFE JA *et al*
Thyroid
  clinic patients, assessing free thyroxine status, clinical and laboratory evaluation **334**
  function tests, procedure for redefinition of equivocal results **247**
  stimulating hormone, concentrations in hypothyroidisms, screening procedure using dried blood spots and NE1600 gamma counter on line to HP 9815s calculator **122**
Thyroxine
  -binding globulin, radioimmunoassay, evaluation of kit and diagnostic application **241**
  enzyme immunoassay with Cobas Bio centrifugal analyser: short report **159**
  free, assessing status in thyroid clinic patients, clinical and laboratory evaluation **334**
  serum, single reagent radioimmunoassay: technical note **339**
TOBIASSON P and KÄLLBERG M: Evaluation of a commercial enzymatic method for the determination of total serum bile acids **301**
Toxicological measurements, units for reporting the results, **328**
Transcobalamin II-based radioassay for determination of serum vitamin B_{12} concentrations **287**
TRELL E, PETERSSON B, KRISTENSON H, FEX G, LARME P, YETTRA M and HOOD B: Serum gamma-glutamyl transferase and a somatic health score in middle-aged men **134**
TRINDER P: A new method for the determination of plasma phenylalanine **26**
TROPE A *see* RUMLEY AG *et al*
TURNELL DC *see* COOPER JDH and TURNELL DC
TURNER JG *see* FYFFE JA *et al*

UaCONAILL D *see* BAUMGART R *et al*
Urate analysis, continuous-flow, calibrant solutions, interference by formaldehyde **323**
Urea
  and glucose methods, Kodak Ektachem, evaluation **293**
  plasma, estimation, economical reagent for use with Beckman Analyzer: technical note **214**

Valproic acid estimation by enzyme immunoassay **307**
VINAYAGAMOORTHY T: 24-hour urine composition of Sri Lankan adults and their response to 100 mg dihydrochlorothiazide **212**

Vitamin B_{12}, serum concentrations, validity of transcobalamin II-based radioassay for determination **287**
V-mask procedure, truncated, and cusum chart in internal analytical quality control **205**

WALTERS G *see* CHAMBERS RE *et al*
Ward-based quality control scheme **61** *P*
WATSON D *see* WOODRUP P *et al*
WELSHMAN SG *see* MORGAN LM *et al*
WHEELER MJ: The supraregional assay service (SAS) and the quality control of hormone assays **64** *P*
WHICHER JT and BLOW C: Formulation of optimal conditions for an immunonephelometric assay **170**
WHITE WA and ATTWOOD EC: An improved continuous flow method for serum creatinine using the Jaffé reaction **153**
WHITEHEAD TP *see* CLARK PMS *et al*
HEALY MJR and WHITEHEAD TP
WIENER K: Experiences with a regional quality control scheme for salicylate and paracetamol over a period of two years **82**
WILDE CE and OTTEWELL D: A practical guide to gamma-counting in radioimmunoassay: technical bulletin No. 40 **1**
see also KIND PRN and WILDE CE
WILKIE W *see* SIMPSON E *et al*
WILLETTS SR *see* CHAMBERS RE *et al*
WILLIAMS DL *see* GOODBURN R and WILLIAMS DL
WILLIAMS SA CEDERHOLM- *see* CEDERHOLM-WILLIAMS SA
WILLING G *see* WOODRUP P *et al*
WILLSON VJC, GRAHAM JG, MCQUEEN INF and THOMPSON RJ: Immunoreactive aldolase C in cerebrospinal fluid of patients with neurological disorders **110**
and THOMPSON RJ Human brain aldolase C_4 isoenzyme: purification, radioimmunoassay, and distribution in human tissues **114**
WOODHEAD JS, KEMP HA, NIX ABJ, ROWLANDS RJ: External quality assessment of serum alpha-fetoprotein assays **332**
WOODRUP P, WILLING G and WATSON D: Enzyme immunoassay of thyroxine with Cobas Bio centrifugal analyser: short report **159**

YEATES RA *see* CALVERT GD *et al*
YETTRA M *see* TRELL E *et al*
YOUNG D *see* STILWELL JA *et al*

ZAREMBSKI PM, BATESON MC and GRIFFITHS PD. A ward-based quality control scheme **61** *P*